

THE MARKET REFERENCE

Its superiority is due to the use of higher quality materials and the tubes assembly welding, which ensure optimal resistance and durability. In its rich and high quality equipment, you will find some of the Zodiac Nautic patented units such as the rowlock with its three-dimensional adjustment or the dump with inner control, more comfortable and safe to use. Available in 3 floor options (depending on the size), to be selected depending on the available storage capacity on your unit

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	2m -6'7"	NUMBER OF WATERTIGHT COMPARTMENTS	2+1
INSIDE LENGTH (m-ft)	1.26m -4'2"	SHAFT	5
OVERALL BEAM (m-ft)	1.34m -4'5"	MAXIMUM ALLOWED POWER (HP)	3
INSIDE BEAM (m-ft)	0.62m -2'0"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	18 - 40
TUBE DIAMETER (m-ft)	0.36 -1'2"	BAG LENGTH (m - ft)	0.97m -3'3"
WEIGHT (Kg-Lbs)	20 - 44	BAG WIDTH (m - ft)	0.42m -1'5"
NUMBER OF PASSENGERS (CAT. C)	2	BAG HEIGHT (m - ft)	0.28m 0'11"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	210 - 463		

VERSIONS

Cadet 200 Aero white/grey



STANDARD EQUIPMENT

HULL & DECK: 2 lifting eyes, 2 Towing rings, Internally-operated bailer.

COMFORT: Removable swimming platform in aluminum .

TUBE: 1 bow handle , 2 carrying handles.

Reinforced cone ends fishtails.

OTHER: Aluminum oars, Foot pump , Repair kit / Owner's manual , Tank belt , Transport bag .

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

HULL & DECK

Lifting sling kit/towing bridle


OTHER

12volt 240mb Inflator with pressure controller

12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Launching wheels
Pressure gauge

TAXES

Eco contribution France -4m pneumatiques



THE MARKET REFERENCE

Its superiority is due to the use of higher quality materials and the tubes assembly welding, which ensure optimal resistance and durability. In its rich and high quality equipment, you will find some of the Zodiac Nautic patented units such as the rowlock with its three-dimensional adjustment or the dump with inner control, more comfortable and safe to use. Available in 3 floor options (depending on the size), to be selected depending on the available storage capacity on your unit

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	2m -6'7"	NUMBER OF WATERTIGHT COMPARTMENTS	2
INSIDE LENGTH (m-ft)	1.26m -4'2"	SHAFT	5
OVERALL BEAM (m-ft)	1.34m -4'5"	MAXIMUM ALLOWED POWER (HP)	3
INSIDE BEAM (m-ft)	0.62m -2'0"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	18 - 40
TUBE DIAMETER (m-ft)	0.36 -1'2"	BAG LENGTH (m - ft)	0.98m -3'3"
WEIGHT (Kg-Lbs)	20 - 44	BAG WIDTH (m - ft)	0.54m -1'1"
NUMBER OF PASSENGERS (CAT. C)	2	BAG HEIGHT (m - ft)	0.27 -0'11"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	180 - 397		

VERSIONS

Cadet 200 RU white/grey



STANDARD EQUIPMENT

HULL & DECK: 2 lifting eyes, 2 Towing rings, Internally-operated bailer.

COMFORT: Removable swimming platform in aluminum .

TUBE: 1 bow handle .

2 carrying handles, Reinforced cone ends fishtails .

OTHER: Aluminum oars, Foot pump , Repair kit / Owner's manual , Transport bag .

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

HULL & DECK

Lifting sling kit/towing bridle


OTHER

12volt 240mb Inflator with pressure controller

12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Launching wheels
Pressure gauge

TAXES

Eco contribution France -4m pneumatiques



THE MARKET REFERENCE

Its superiority is due to the use of higher quality materials and the tubes assembly welding, which ensure optimal resistance and durability. In its rich and high quality equipment, you will find some of the Zodiac Nautic patented units such as the rowlock with its three-dimensional adjustment or the dump with inner control, more comfortable and safe to use. Available in 3 floor options (depending on the size), to be selected depending on the available storage capacity on your unit

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	2.3m -7'7"	NUMBER OF WATERTIGHT COMPARTMENTS	2+1+1
INSIDE LENGTH (m-ft)	1.44m -4'9"	SHAFT	5
OVERALL BEAM (m-ft)	1.34m -4'5"	MAXIMUM ALLOWED POWER (HP)	4
INSIDE BEAM (m-ft)	0.62m -2'0"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	27 - 60
TUBE DIAMETER (m-ft)	0.36m -1'2"	BAG LENGTH (m - ft)	1m -3'3"
WEIGHT (Kg-Lbs)	24 - 53	BAG WIDTH (m - ft)	0.57m -1'10"
NUMBER OF PASSENGERS (CAT. C)	3	BAG HEIGHT (m - ft)	0.29m -0'11"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	300 - 661		

VERSIONS

Cadet 230 Aero white/grey



STANDARD EQUIPMENT

HULL & DECK: 2 lifting eyes, 2 Towing rings, Internally-operated bailer.

COMFORT: Removable swimming platform in aluminum .

TUBE: 1 bow handle , 2 carrying handles.

Reinforced cone ends fishtails.

OTHER: Aluminum oars, Foot pump , Repair kit / Owner's manual , Tank belt , Transport bag .

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

HULL & DECK

Lifting sling kit/towing bridle


OTHER

12volt 240mb Inflator with pressure controller

12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Launching wheels
Pressure gauge

TAXES

Eco contribution France -4m pneumatiques



THE MARKET REFERENCE

Its superiority is due to the use of higher quality materials and the tubes assembly welding, which ensure optimal resistance and durability. In its rich and high quality equipment, you will find some of the Zodiac Nautic patented units such as the rowlock with its three-dimensional adjustment or the dump with inner control, more comfortable and safe to use. Available in 3 floor options (depending on the size), to be selected depending on the available storage capacity on your unit

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	2.3m -7'7"	NUMBER OF WATERTIGHT COMPARTMENTS	2
INSIDE LENGTH (m-ft)	1.44m -4'9"	SHAFT	5
OVERALL BEAM (m-ft)	1.34m -4'5"	MAXIMUM ALLOWED POWER (HP)	4
INSIDE BEAM (m-ft)	0.62m -2'0"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	27 - 60
TUBE DIAMETER (m-ft)	0.36m -1'2"	BAG LENGTH (m - ft)	0.98m -3'3"
WEIGHT (Kg-Lbs)	22 - 49	BAG WIDTH (m - ft)	0.51m -1'8"
NUMBER OF PASSENGERS (CAT. C)	3	BAG HEIGHT (m - ft)	0.3m -0'12"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	270 - 595		

VERSIONS

Cadet 230 RU white/grey



STANDARD EQUIPMENT

HULL & DECK: 2 lifting eyes, 2 Towing rings, Internally-operated bailer.

COMFORT: Removable swimming platform in aluminum .

TUBE: 1 bow handle .

2 carrying handles, Reinforced cone ends fishtails .

OTHER: Aluminum oars, Foot pump , Repair kit / Owner's manual , Transport bag .

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

HULL & DECK

Lifting sling kit/towing bridle


OTHER

12volt 240mb Inflator with pressure controller

12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Launching wheels
Pressure gauge

TAXES

Eco contribution France -4m pneumatiques



THE MARKET REFERENCE

Its superiority is due to the use of higher quality materials and the tubes assembly welding, which ensure optimal resistance and durability. In its rich and high quality equipment, you will find some of the Zodiac Nautic patented units such as the rowlock with its three-dimensional adjustment or the dump with inner control, more comfortable and safe to use. Available in 3 floor options (depending on the size), to be selected depending on the available storage capacity on your unit

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	2.7m - 8'10"	NUMBER OF WATERTIGHT COMPARTMENTS	3+1+1
INSIDE LENGTH (m-ft)	1.75m - 5'9"	SHAFT	5
OVERALL BEAM (m-ft)	1.53m - 5'0"	MAXIMUM ALLOWED POWER (HP)	6
INSIDE BEAM (m-ft)	0.68m - 2'3"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	27 - 60
TUBE DIAMETER (m-ft)	0.43m - 1'5"	BAG LENGTH (m - ft)	1.09m - 3'7"
WEIGHT (Kg-Lbs)	31 - 68	BAG WIDTH (m - ft)	0.52m - 1'8"
NUMBER OF PASSENGERS (CAT. C)	3+1	BAG HEIGHT (m - ft)	0.32m - 1'1"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	420 - 926		

VERSIONS

Cadet 270 Aero white/grey



STANDARD EQUIPMENT

HULL & DECK: 2 lifting eyes, 2 Towing rings, Internally-operated bailer.

COMFORT: Removable swimming platform in aluminum .

TUBE: 1 bow handle , 2 carrying handles.

Reinforced cone ends fishtails.

OTHER: Aluminum oars, Foot pump , Repair kit / Owner's manual , Tank belt , Transport bag .

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

SEATS

2nd bench
Duffle seat L - 0.70m - grey

HULL & DECK


Lifting sling kit/towing bridle

OTHER

12volt 240mb Inflator with pressure controller
12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Launching wheels
Pressure gauge

TAXES

Eco contribution France -4m pneumatiques



THE MARKET REFERENCE

Its superiority is due to the use of higher quality materials and the tubes assembly welding, which ensure optimal resistance and durability. In its rich and high quality equipment, you will find some of the Zodiac Nautic patented units such as the rowlock with its three-dimensional adjustment or the dump with inner control, more comfortable and safe to use. Available in 3 floor options (depending on the size), to be selected depending on the available storage capacity on your unit

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	2.7m -8'10"	MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	450 - 992
INSIDE LENGTH (m-ft)	1.75m -5'9"	SHAFT	5
OVERALL BEAM (m-ft)	1.53m -5'0"	MAXIMUM ALLOWED POWER (HP)	8
INSIDE BEAM (m-ft)	0.68m -2'3"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	27 - 60
TUBE DIAMETER (m-ft)	0.43m -1'5"	BAG LENGTH (m - ft)	1.3m -4'3"
WEIGHT (Kg-Lbs)	37 - 82	BAG WIDTH (m - ft)	0.62m -2'0"
NUMBER OF PASSENGERS (CAT. C)	3+1	BAG HEIGHT (m - ft)	0.34m -1'1"

VERSIONS

Cadet 270 Alu white/grey



STANDARD EQUIPMENT

HULL & DECK: 2 lifting eyes, 2 Towing rings, Internally-operated bailer.

COMFORT: Removable thwart.

TUBE: 1 bow handle .

2 carrying handles, Reinforced cone ends fishtails.

OTHER: Aluminum oars, Foot pump , Repair kit / Owner's manual , Transport bag.

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

SEATS

2nd bench
Duffle seat L - 0.70m - grey

HULL & DECK


Lifting sling kit/towing bridle

OTHER

12volt 240mb Inflator with pressure controller
12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Launching wheels
Pressure gauge

TAXES

Eco contribution France -4m pneumatiques



THE MARKET REFERENCE

Its superiority is due to the use of higher quality materials and the tubes assembly welding, which ensure optimal resistance and durability. In its rich and high quality equipment, you will find some of the Zodiac Nautic patented units such as the rowlock with its three-dimensional adjustment or the dump with inner control, more comfortable and safe to use. Available in 3 floor options (depending on the size), to be selected depending on the available storage capacity on your unit

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	2.7m - 8'10"	NUMBER OF WATERTIGHT COMPARTMENTS	3
INSIDE LENGTH (m-ft)	1.75m - 5'9"	SHAFT	5
OVERALL BEAM (m-ft)	1.53m - 5'0"	MAXIMUM ALLOWED POWER (HP)	4
INSIDE BEAM (m-ft)	0.68m - 2'3"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	27 - 60
TUBE DIAMETER (m-ft)	0.43m - 1'5"	BAG LENGTH (m - ft)	1.1m - 3'7"
WEIGHT (Kg-Lbs)	29 - 64	BAG WIDTH (m - ft)	0.5m - 1'8"
NUMBER OF PASSENGERS (CAT. C)	3+1	BAG HEIGHT (m - ft)	0.37m - 1'3"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	370 - 816		

VERSIONS

Cadet 270 RU white/grey



STANDARD EQUIPMENT

HULL & DECK: 2 lifting eyes, 2 Towing rings, Internally-operated bailer.

COMFORT: Removable swimming platform in aluminum .

TUBE: 1 bow handle .

2 carrying handles, Reinforced cone ends fishtails .

OTHER: Aluminum oars, Foot pump , Repair kit / Owner's manual , Transport bag .

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

SEATS

Duffle seat L - 0.70m - grey

HULL & DECK

Lifting sling kit/towing bridle


OTHER

12volt 240mb Inflator with pressure controller

12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Launching wheels
Pressure gauge

TAXES

Eco contribution France -4m pneumatiques



THE MARKET REFERENCE

Its superiority is due to the use of higher quality materials and the tubes assembly welding, which ensure optimal resistance and durability. In its rich and high quality equipment, you will find some of the Zodiac Nautic patented units such as the rowlock with its three-dimensional adjustment or the dump with inner control, more comfortable and safe to use. Available in 3 floor options (depending on the size), to be selected depending on the available storage capacity on your unit

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	3.1m -10'2"	NUMBER OF WATERTIGHT COMPARTMENTS	3+1+1
INSIDE LENGTH (m-ft)	2.2m -7'3"	SHAFT	5
OVERALL BEAM (m-ft)	1.55m -5'1"	MAXIMUM ALLOWED POWER (HP)	10
INSIDE BEAM (m-ft)	0.68m -2'3"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	52 - 115
TUBE DIAMETER (m-ft)	0.44m -1'5"	BAG LENGTH (m - ft)	1.14m -3'9"
WEIGHT (Kg-Lbs)	35 - 77	BAG WIDTH (m - ft)	0.59m -1'11"
NUMBER OF PASSENGERS (CAT. C)	5	BAG HEIGHT (m - ft)	0.32m -1'1"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	570 - 1257		

VERSIONS

Cadet 310 Aero white/grey



STANDARD EQUIPMENT

HULL & DECK: 2 lifting eyes, 2 Towing rings, Internally-operated bailer.

COMFORT: Removable thwart in aluminum (dual position).

TUBE: 1 bow handle , 2 carrying handles.

Reinforced cone ends fishtails.

OTHER: Aluminum oars, Foot pump , Repair kit / Owner's manual , Tank belt , Transport bag .

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

SEATS

2nd bench
Duffle seat L - 0.70m - grey

HULL & DECK


Lifting sling kit/towing bridle

OTHER

12volt 240mb Inflator with pressure controller
12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Launching wheels
Pressure gauge

TAXES

Eco contribution France -4m pneumatiques



THE MARKET REFERENCE

Its superiority is due to the use of higher quality materials and the tubes assembly welding, which ensure optimal resistance and durability. In its rich and high quality equipment, you will find some of the Zodiac Nautic patented units such as the rowlock with its three-dimensional adjustment or the dump with inner control, more comfortable and safe to use. Available in 3 floor options (depending on the size), to be selected depending on the available storage capacity on your unit

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	3.1m -10'2"	NUMBER OF WATERTIGHT COMPARTMENTS	3+1
INSIDE LENGTH (m-ft)	2.2m -7'3"	SHAFT	S
OVERALL BEAM (m-ft)	1.55m -5'1"	MAXIMUM ALLOWED POWER (HP)	15
INSIDE BEAM (m-ft)	0.68m -2'3"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	55 - 121
TUBE DIAMETER (m-ft)	0.44m -1'5"	BAG LENGTH (m - ft)	1.5m -4'1"
WEIGHT (Kg-Lbs)	49 - 108	BAG WIDTH (m - ft)	0.63m -2'1"
NUMBER OF PASSENGERS (CAT. C)	5	BAG HEIGHT (m - ft)	0.35m -1'2"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	600 - 1323		

VERSIONS

Cadet 310 Alu white/grey



STANDARD EQUIPMENT

HULL & DECK: 2 lifting eyes, 2 Towing rings, Internally-operated bailer.

COMFORT: Removable thwart in aluminum (dual position).

TUBE: 1 bow handle .

2 carrying handles, Reinforced cone ends fishtails.

OTHER: Aluminum oars, Foot pump , Repair kit / Owner's manual , Transport bag.

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

SEATS

2nd bench
Duffle seat L - 0.70m - grey

HULL & DECK


Lifting sling kit/towing bridle

OTHER

12volt 240mb Inflator with pressure controller
12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Launching wheels
Pressure gauge

TAXES

Eco contribution France -4m pneumatiques



THE MARKET REFERENCE

Its superiority is due to the use of higher quality materials and the tubes assembly welding, which ensure optimal resistance and durability. In its rich and high quality equipment, you will find some of the Zodiac Nautic patented units such as the rowlock with its three-dimensional adjustment or the dump with inner control, more comfortable and safe to use. Available in 3 floor options (depending on the size), to be selected depending on the available storage capacity on your unit

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	3.5m -11'6"	NUMBER OF WATERTIGHT COMPARTMENTS	3+1+1
INSIDE LENGTH (m-ft)	2.58m -8'6"	SHAFT	S
OVERALL BEAM (m-ft)	1.72m -5'8"	MAXIMUM ALLOWED POWER (HP)	15
INSIDE BEAM (m-ft)	0.83m -2'9"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	55 - 121
TUBE DIAMETER (m-ft)	0.45m 1'6"	BAG LENGTH (m - ft)	1.2m -3'11"
WEIGHT (Kg-Lbs)	42 - 93	BAG WIDTH (m - ft)	0.64m -2'1"
NUMBER OF PASSENGERS (CAT. C)	6	BAG HEIGHT (m - ft)	0.3m -0'12"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	620 - 1367		

VERSIONS

Cadet 350 Aero white/grey



STANDARD EQUIPMENT

HULL & DECK: 2 lifting eyes, 2 Towing rings, Internally-operated bailer.
COMFORT: Removable thwart in aluminum (dual position).
TUBE: 1 bow handle , 2 carrying handles.

Reinforced cone ends fishtails.

OTHER: Aluminum oars, Foot pump , Repair kit / Owner's manual , Tank belt , Transport bag .

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
 Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

SEATS

2nd bench

HULL & DECK

Lifting sling kit/towing bridle


OTHER

12volt 240mb Inflator with pressure controller

12volt 800 mb Inflator with 450L/min pressure controller
 Davit-launched sling kit
 Launching wheels
 Pressure gauge

TAXES

Eco contribution France -4m pneumatiques



THE MARKET REFERENCE

Its superiority is due to the use of higher quality materials and the tubes assembly welding, which ensure optimal resistance and durability. In its rich and high quality equipment, you will find some of the Zodiac Nautic patented units such as the rowlock with its three-dimensional adjustment or the dump with inner control, more comfortable and safe to use. Available in 3 floor options (depending on the size), to be selected depending on the available storage capacity on your unit

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	3.5m -11'6"	NUMBER OF WATERTIGHT COMPARTMENTS	3+1
INSIDE LENGTH (m-ft)	2.58m -8'6"	SHAFT	5
OVERALL BEAM (m-ft)	1.72m -5'8"	MAXIMUM ALLOWED POWER (HP)	20
INSIDE BEAM (m-ft)	0.83m -2'9"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	55 - 121
TUBE DIAMETER (m-ft)	0.45m 1'6"	BAG LENGTH (m - ft)	1.24m -4'1"
WEIGHT (Kg-Lbs)	67 - 148	BAG WIDTH (m - ft)	0.6m -1'12"
NUMBER OF PASSENGERS (CAT. C)	6	BAG HEIGHT (m - ft)	0.3m -0'12"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	650 - 1433		

VERSIONS

Cadet 350 Alu white/grey



STANDARD EQUIPMENT

HULL & DECK: 2 lifting eyes, 2 Towing rings, Internally-operated bailer.

COMFORT: Removable thwart in aluminum (dual position).

TUBE: 1 bow handle .

2 carrying handles, Reinforced cone ends fishtails.

OTHER: 2 transport bags, Aluminum oars, Foot pump , Repair kit / Owner's manual .

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

SEATS

2nd bench

HULL & DECK

Lifting sling kit/towing bridle

OTHER

12volt 240mb Inflator with pressure controller

12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Launching wheels
Pressure gauge

TAXES

Eco contribution France -4m pneumatiques